

2010 NEW PRODUCTS




HAYES
BICYCLE GROUP

HAYES™

New for Hayes this year is a complete refresh of the Stroker platform's graphics. Each model now features prominent Hayes logos that hearken back to the original Hayes Mag.



STROKER GRAM



For more information, visit
www.HayesDiscBrake.com



STROKER ACE



STROKER TRAIL



STROKER CARBON



STROKER RYDE



ABSOLUTE+

Absolute+ is an all-new damper based on Manitou's proven TPC design, and featuring independent high-speed and low-speed compression circuits. Like the original TPC damper, Absolute+ employs shim stacks in both the compression and rebound circuits. Absolute+ adds a second compression circuit called the **Speed Needle**. The **Speed Needle** controls low-speed damping, and is externally adjustable via a knob at the top of the leg. The **Pro Stack** high-speed circuit is an internal shim stack. It is not externally adjustable, but experienced suspension tuners will find it easy to modify using readily available damper shims.



Absolute+

MILO

MILO stands for Manitou Integrated Lock Out. It is an all-new remote lockout lever designed to work with the new Absolute+ damper. A narrow footprint and intelligent cable routing make it compatible with every possible shifter/brake combination, and give riders a number of placement options on the handlebar. MILO's high-leverage design requires a very light actuation effort and minimizes its susceptibility to contamination.

For more information, visit www.ManitouMTB.com



MILO



ALUMINUM DORADO

Following on the success of the carbon fiber Dorado MRD, Manitou now offers a more affordable Dorado with aluminum legs. The two forks share identical internals, including the dual-chamber air spring, TPC+ damping, and hydraulic top-out and bottom-out.

The world's best downhill fork is now affordable enough for the next generation of the world's best riders.

SPECS

Travel options	203mm, 180mm
Weight (lbs)	6.5
Weight (g)	2933
Color options	Black Ano
Axle options	HexLock
Brake options	Disc only
Leg diameter	36mm
Wheel size	26"

FEATURES

Dual-chamber air spring	Light weight, linear rate, top-out resistance
TPC+ compression damper	Independently adjustable high- and low-speed damping
HexLock axle	Lateral and torsional rigidity
Hydraulic bottom-out	"Bottomless" feel
Hydraulic top-out	Smooth top-out

DOWNHILL





For more information, visit www.answerproducts.com

ProTaper™ DH780 Handlebar

Width	780mm
Weight	335g
Clamp Diameter	31.8mm
Rise Options	12.5mm, 25.4mm
Up-sweep	4°
Back-sweep	8°
Material	7050 Series Alloy
Color Options	Red, Black, Gold

ProTaper™ AM720 Handlebar

Width	720mm
Weight	315g
Clamp Diameter	31.8mm
Rise Options	25.4mm, 50.8mm
Up-sweep	4°
Back-sweep	8°
Material	7050 Series Alloy
Color Options	Red, Black, Silver



Fall Line XC Gloves

Size Options	S, M, L, XL, XXL
Color Options	Gray, Red

Fall Line DH Gloves

Size Options	S, M, L, XL, XXL
Color Options	Red



Rove FR Pedals

Weight	435g
Color Options	Black, Gold, Red, Metal
Bearings	Cartridge
Axle	Steel
Bushing	DU
Material	6061 Series Alloy
Studs	10-10 Hex Head



Fall Line XC Grips

Weight	118g (pair)
Length	130mm
Color Options	Red, Gold, Black, Metal

Fall Line DH Grips

Weight	118 (pair)
Length	130mm
Color Options	Red, Gold, Black, Metal

